

Date Tested	County	Municipality	State	School District	School	Lead (Y/N)	Points of Discharge (#)	Parts Per Billion (ppb)	Source
31-May-16	Bergen	Alpine	NJ	Alpine Elementary School District	Alpine Elementary School	Y		4	50 NJ Schools Polled on Water Testing
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Bergenfield High School	Y		1	48 Bergenfield Preliminary Testing Results
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Franklin Elementary School	Y		2	28 Bergenfield Preliminary Testing Results
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Hoover Elementary School	Y		3	17-22 Bergenfield Preliminary Testing Results
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Lincoln Elementary School	Y		2	53 Bergenfield Preliminary Testing Results
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Roy W. Brown Middle School	Y		1	94 Bergenfield Preliminary Testing Results
5-May-16	Bergen	Bergenfield	NJ	Bergenfield Borough School District	Washington Elementary School	Y		2	24 Bergenfield Preliminary Testing Results
	Bergen	Franklin Lakes	NJ	Franklin Lakes School District	Colonial Road School	plans to test			Franklin Lakes School District to Test Water for Lead
	Bergen	Franklin Lakes	NJ	Franklin Lakes School District	Franklin Avenue Middle School	plans to test			Franklin Lakes School District to Test Water for Lead
	Bergen	Franklin Lakes	NJ	Franklin Lakes School District	High Mountain Road School	plans to test			Franklin Lakes School District to Test Water for Lead
	Bergen	Franklin Lakes	NJ	Franklin Lakes School District	Woodside Avenue School	plans to test			Franklin Lakes School District to Test Water for Lead
7-Apr-16	Bergen	Hillsdale	NJ	Pascack Valley Regional High School District	Pascack Valley High School	Y		1	High Lead Levels Found in Pascack School Fountains
21-Apr-16	Bergen	Leonia	NJ	Leonia Public School District	Anna C. Scott Elementary School	Y			High Levels of Lead Found in 6 Water Fountains in Leonia
21-Apr-16	Bergen	Leonia	NJ	Leonia Public School District	Leonia High School	Y			High Levels of Lead Found in 6 Water Fountains in Leonia
21-Apr-16	Bergen	Leonia	NJ	Leonia Public School District	Leonia Middle School	Y			High Levels of Lead Found in 6 Water Fountains in Leonia
7-Apr-16	Bergen	Montvale	NJ	Pascack Valley Regional High School District	Pascack Hills High School	Y		6	High Lead Levels Found in Pascack School Fountains
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	East Brook Middle School	Y		3	17-34 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Memorial Elementary School	Y		3	18-29 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Midland Elementary School	Y		5	16-190 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Paramus High School	Y		5	18-68 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Parkway Elementary School	Y		1	26 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Ridge Ranch Elementary School	Y		1	37 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	Stony Lane Elementary School	Y		3	16-21 Water Testing Report
6-May-16	Bergen	Paramus	NJ	Paramus Public School District	West Brook Middle School	Y		2	19-25 Water Testing Report
5-May-16	Bergen	Saddle Brook	NJ	Saddle Brook School District	Franklin School	Y		2	Saddle Brook School District Reports Elevated Levels of Lead
5-May-16	Bergen	Saddle Brook	NJ	Saddle Brook School District	Helen I. Smith School	Y		1	Saddle Brook School District Reports Elevated Levels of Lead
5-May-16	Bergen	Saddle Brook	NJ	Saddle Brook School District	Salome H. Long Memorial School	Y		9	Saddle Brook School District Reports Elevated Levels of Lead
5-May-16	Bergen	Saddle Brook	NJ	Saddle Brook School District	Washington School	Y		2	Saddle Brook School District Reports Elevated Levels of Lead
2002-2016	Camden	Camden	NJ	Camden City Public Schools	Charles Sumner Elementary School	Y			23 High Lead Found in Camden District Water Samples
2002-2016	Camden	Camden	NJ	Camden City Public Schools	Early Childhood Development Center	Y			15.9 High Lead Found in Camden District Water Samples
2002-2016	Camden	Camden	NJ	Camden City Public Schools	(All but 5)	Y			How One NJ District Has Beaten Its Dirty Water Problem for 14 Years
	Essex	Irvington	NJ	Irvington Board Of Education	Augusta Preschool Academy	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Berkeley Terrace	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Chancellor Avenue School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Florence Avenue School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Grove Street School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Irvington High School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Madison At Chancellor South	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Mt. Vernon Avenue School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Thurgood Marshall School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Union Avenue Middle School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	University Elementary School	N			50 NJ Schools Polled on Water Testing
	Essex	Irvington	NJ	Irvington Board Of Education	Univrsity Middle School	N			50 NJ Schools Polled on Water Testing
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Charles H. Bullock School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Edgemont Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Glenfield Middle School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Hillside Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Montclair High School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Nishuane Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Renaissance Middle School At The Rand Building	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Montclair	NJ	Montclair Public Schools	Watchung Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
29-Dec-16	Essex	Newark	NJ	Newark Public School District	Abington Avenue School	Y		2	18.8-126 Newark Schools Lead Testing Results
30-Dec-16	Essex	Newark	NJ	Newark Public School District	American History High School	Y		3	24.3-32.6 Newark Schools Lead Testing Results
28-Dec-16	Essex	Newark	NJ	Newark Public School District	Bard Early College High School	Y		1	558 Newark Schools Lead Testing Results
29-Dec-16	Essex	Newark	NJ	Newark Public School District	Barringer Academy of the Arts and Humanities	Y		2	25-35.7 Newark Schools Lead Testing Results
29-Dec-16	Essex	Newark	NJ	Newark Public School District	Benjamin Franklin Elementary School	Y		1	38 Newark Schools Lead Testing Results
29-Dec-16	Essex	Newark	NJ	Newark Public School District	Branch Brook School	Y		3	133-168 Newark Schools Lead Testing Results
30-Dec-16	Essex	Newark	NJ	Newark Public School District	Cleveland Eighteenth Avenue School	Y		1	158 Newark Schools Lead Testing Results
29-Dec-16	Essex	Newark	NJ	Newark Public School District	Elliott Street Elementary School	Y		2	37 Newark Schools Lead Testing Results
28-Dec-16	Essex	Newark	NJ	Newark Public School District	Early Childhood Academy - West	Y		1	16 Newark Schools Lead Testing Results
28-Dec-15	Essex	Newark	NJ	Newark Public School District	Fourteenth Avenue School	Y		1	16.1 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	George Washington Carver Elementary School	Y		1	118 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	Hawthorne Avenue School	Y		1	25 Newark Schools Lead Testing Results
28-Dec-15	Essex	Newark	NJ	Newark Public School District	Ivy Hill Elementary School	Y		2	131-1390 Newark Schools Lead Testing Results
28-Dec-16	Essex	Newark	NJ	Newark Public School District	John F Kennedy School	Y		2	22.9-51.7 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	Louise A Spencer Elementary School	Y		4	20-134 Newark Schools Lead Testing Results
29-Dec-15	Essex	Newark	NJ	Newark Public School District	Luis Munoz Marin Elementary School	Y		1	17.5 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	Miller Street School At Spencer	Y		2	47 Newark Schools Lead Testing Results
28-Dec-15	Essex	Newark	NJ	Newark Public School District	Mt Vernon Place School	Y		1	16.5 Newark Schools Lead Testing Results
28-Dec-15	Essex	Newark	NJ	Newark Public School District	N J Regional Day School - Newark	Y		3	20.6-63.6 Newark Schools Lead Testing Results
30-Dec-15	Essex	Newark	NJ	Newark Public School District	Quitman Community School	Y		2	17-30.7 Newark Schools Lead Testing Results
29-Dec-15	Essex	Newark	NJ	Newark Public School District	Ridge Street School	Y		1	23.2 Newark Schools Lead Testing Results
29-Dec-15	Essex	Newark	NJ	Newark Public School District	Roberto Clemente Elementary School	Y		1	45.8 Newark Schools Lead Testing Results
28-Dec-15	Essex	Newark	NJ	Newark Public School District	South Seventeenth Street School	Y		2	24.5-28.4 Newark Schools Lead Testing Results
30-Dec-15	Essex	Newark	NJ	Newark Public School District	South Street Elementary School	Y		1	36 Newark Schools Lead Testing Results
28-Dec-16	Essex	Newark	NJ	Newark Public School District	Thirteenth Avenue School Martin Luther King	Y		1	17 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	Weequahic High School	Y		2	22.8-29.4 Newark Schools Lead Testing Results
3-Feb-16	Essex	Newark	NJ	Newark Public School District	Wilson Avenue School	Y		2	133-193 Newark Schools Lead Testing Results

Date Tested	County	Municipality	State	School District	School	Lead (Y/N)	Points of Discharge (#)	Parts Per Billion (ppb)	Source
5-Mar-16	Essex	Newark	NJ	Newark Public School District	Ivy Hill Elementary School-Point Of Entry	Y		466	Newark Schools Lead Testing Results
5-Mar-16	Essex	Newark	NJ	Newark Public School District	Louise A Spencer Elementary School-Point Of Entry	Y	1	466	Newark Schools Lead Testing Results
28-Mar-16	Essex	Upper Montclair	NJ	Montclair Public Schools	Bradford Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Upper Montclair	NJ	Montclair Public Schools	Mt. Hebron Middle School	N			Montclair Private and Public Schools Test Water for Lead Levels
28-Mar-16	Essex	Upper Montclair	NJ	Montclair Public Schools	Northeast Elementary School	N			Montclair Private and Public Schools Test Water for Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Academy I	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Adult Evening High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Alexander D. Sullivan School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Alfred Zampella School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Anthony J. Infante School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Chaplain Charles Watters School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Charles E. Trefurt School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Christa McAuliffe School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Cornelia F. Bradford School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Dr Ronald Mcnair High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Dr. Charles P. Defuccio School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Dr. Michael Conti School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Ezra L. Nolan School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Frank R Conwell School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Franklin L. Williams School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Gladys Nunery School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Henry Snyder High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Infinity Institute	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	James F. Murray School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	James J Ferris High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Joseph H. Brensinger School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Jotham W. Wakeman School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Julia A. Barnes School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Liberty High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Lincoln High School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Mahatma K. Gandhi School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Martin Center For The Arts	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Martin Luther King, Jr. School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Middle School # 4	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Nicolaus Copernicus School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Ollie Culbreth, Jr. School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Ps # 20	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Ps # 33	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Ps # 34	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Rafael De J. Cordero School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Regional Day School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Rev. Dr. Ercel F. Webb School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	Whitney M. Young, Jr. School	not tested			Jersey City: No Sign of Elevated Lead Levels
	Hudson	Jersey City	NJ	Jersey City School District	William L Dickinson High School	not tested			Jersey City: No Sign of Elevated Lead Levels
1-Mar-16	Hudson	Weehawken	NJ	Weehawken Public School District	Daniel Webster School	N			50 NJ Schools Polled on Water Testing
1-Mar-16	Hudson	Weehawken	NJ	Weehawken Public School District	Theodore Roosevelt School	N			50 NJ Schools Polled on Water Testing
1-Mar-16	Hudson	Weehawken	NJ	Weehawken Public School District	Weehawken High School	N			50 NJ Schools Polled on Water Testing
	Mercer	East Windsor	NJ	East Windsor Regional School District	Ethel Mcknight Elementary School	pending			Has Your School District Tested for Lead in its Water
	Mercer	East Windsor	NJ	East Windsor Regional School District	Melvin H. Kreps Middle School	pending			Has Your School District Tested for Lead in its Water
	Mercer	East Windsor	NJ	East Windsor Regional School District	Perry L. Drew Elementary School	pending			Has Your School District Tested for Lead in its Water
4-May-16	Mercer	Ewing	NJ	Ewing Township School District	Ewing High School	Y	2	16.1-59	Has Your School District Tested for Lead in its Water
4-May-16	Mercer	Ewing	NJ	Ewing Township School District	Francis Lore Elementary School	Y	3	27.9-50.2	Has Your School District Tested for Lead in its Water
4-May-16	Mercer	Ewing	NJ	Ewing Township School District	Gilmore J Fisher Middle	Y	1	17.7	Has Your School District Tested for Lead in its Water
4-May-16	Mercer	Ewing	NJ	Ewing Township School District	Wl Antheil Elementary School	Y	1	17.3	Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Greenwood Elementary School	Y	1		Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Morgan Elementary School	Y			Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Mcgalliard Elementary School	Y	4		Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Robinson Elementary School	Y	7		Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Sunnybrae Elementary School	Y	9		Has Your School District Tested for Lead in its Water
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	George E. Wilson Elementary School	Y	4		Tests show elevated lead levels at 5 more Hamilton schools
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Kisthardt Elementary School	Y	6		Tests show elevated lead levels at 5 more Hamilton schools
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Klockner Elementary School	Y	1		Tests show elevated lead levels at 5 more Hamilton schools
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Lalor Elementary School	Y	2		Tests show elevated lead levels at 5 more Hamilton schools
30-Apr-16	Mercer	Hamilton	NJ	Hamilton Township Public School District	Mercerville Elementary School	Y	2		Tests show elevated lead levels at 5 more Hamilton schools
28-Mar-16	Mercer	Hightstown	NJ	East Windsor Regional School District	Grace N. Rogers Elementary School	N			Has Your School District Tested for Lead in its Water
28-Mar-16	Mercer	Hightstown	NJ	East Windsor Regional School District	Walter C. Black Elementary School	N			Has Your School District Tested for Lead in its Water
30-Mar-16	Mercer	Hightstown	NJ	East Windsor Regional School District	Hightstown High School	pending			Lead Results from Meeting Minutes
12-Apr-16	Mercer	Hopewell	NJ	Hopewell Valley Regional School District	Hopewell Elementary School	N			Hopewell Valley School Testing Results
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Lawrence High School	pending			Lawrence Township Public Schools Find Lead in Water
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Lawrence Middle School	pending			Lawrence Township Public Schools Find Lead in Water
13-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Ben Franklin Elementary	Y			Lawrence Township Public Schools Find Lead in Water
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Eldridge Park School	Y			Lawrence Township Public Schools Find Lead in Water
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Lawrence Intermediate School	Y			Lawrence Township Public Schools Find Lead in Water
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Slackwood Elementary School	Y			Lawrence Township Public Schools Find Lead in Water
3-May-16	Mercer	Lawrenceville	NJ	Lawrence Township Public School District	Lawrenceville Elementary School	Y			Lawrence Township Public Schools Find Lead in Water
12-Apr-16	Mercer	Pennington	NJ	Hopewell Valley Regional School District	Hopewell Valley Central High School	N			Hopewell Valley School Testing Results
12-Apr-16	Mercer	Pennington	NJ	Hopewell Valley Regional School District	Stony Brook Elementary School	N			Hopewell Valley School Testing Results
12-Apr-16	Mercer	Pennington	NJ	Hopewell Valley Regional School District	Timberlane Middle School	N			Hopewell Valley School Testing Results

Date Tested	County	Municipality	State	School District	School	Lead (Y/N)	Points of Discharge (#)	Parts Per Billion (ppb)	Source
12-Apr-16	Mercer	Pennington	NJ	Hopewell Valley Regional School District	Toll Gate Grammar School	N			Hopewell Valley School Testing Results
15-Apr-16	Mercer	Princeton	NJ	Princeton Public Schools	Johnson Park Elementary School	Y	1	16.6	Slightly Elevated Lead Levels Found at One Princeton School
12-Apr-16	Mercer	Titusville	NJ	Hopewell Valley Regional School District	Bear Tavern Elementary School	N			Has Your School District Tested for Lead in its Water
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Columbus Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Daylight/Twilight High School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Dunn Middle School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Franklin Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Grant Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Gregory Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Hedgepeth Williams Middle School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Jefferson Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Joyce Kilmer Middle School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Luis Munoz-Rivera Middle School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Martin Luther King Jr. Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Mott Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	P.J. Hill Elementary	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Parker Elementary	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Paul S. Robeson Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Robbins Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Stokes Early Childhood Center	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Trenton Central High School - Main Campus	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Trenton Central High School - West Campus	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Washington Elementary School	N			Trenton Schools Testing Water for Lead
1-Sep-15	Mercer	Trenton	NJ	Trenton Public School District	Wilson Elementary School	N			Trenton Schools Testing Water for Lead
18-Apr-16	Mercer	West Windsor	NJ	West Windsor-Plainsboro Regional School District	Dutch Neck Elementary School	Y	1	18	Traces of Lead Found in 5 West Windsor-Plainsboro Schools
18-Apr-16	Mercer	West Windsor	NJ	West Windsor-Plainsboro Regional School District	Maurice Hawk Elementary School	Y	1	16	Traces of Lead Found in 5 West Windsor-Plainsboro Schools
18-Apr-16	Mercer	West Windsor	NJ	West Windsor-Plainsboro Regional School District	Thomas R Grover Middle School	Y	1	25	Traces of Lead Found in 5 West Windsor-Plainsboro Schools
18-Apr-16	Mercer	West Windsor	NJ	West Windsor-Plainsboro Regional School District	Village Elementary School	Y	1	22	Traces of Lead Found in 5 West Windsor-Plainsboro Schools
18-Apr-16	Mercer	West Windsor	NJ	West Windsor-Plainsboro Regional School District	West Windsor-Plainsboro High School South	Y	1	58	Traces of Lead Found in 5 West Windsor-Plainsboro Schools
	Middlesex	Cranbury	NJ	Cranbury Township School District	Cranbury School	plans to test			Cranbury School District to Explore Testing Water for Lead
25-May-16	Middlesex	Highland Park	NJ	Highland Park Boro School District	Irving Primary School	Y	1	89.6	NJ School District that Found Lead in Water will Offer Free Tests
19-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	A Chester Redshaw School	Y	1	32.9	Elevated Lead Levels Found in New Brunswick Schools
15-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	Lincoln Elementary School	Y	2	22.8-37.2	Elevated Lead Levels Found in New Brunswick Schools
15-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	Mckinley Community School	Y	4	15.5-187	Elevated Lead Levels Found in New Brunswick Schools
28-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	New Brunswick Middle School	Y	3	24.8-65.1	Elevated Lead Levels Found in New Brunswick Schools
18-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	Paul Robeson Community School	Y	2	16.2-25	Elevated Lead Levels Found in New Brunswick Schools
21-Apr-16	Middlesex	New Brunswick	NJ	New Brunswick School District	Woodrow Wilson Elementary School	Y	2	27.2-29.3	Elevated Lead Levels Found in New Brunswick Schools
18-May-16	Monmouth	Leonardo	NJ	Middletown Township Public School District	Bayshore Middle School	Y	1		Middletown Township Public Schools
18-May-16	Monmouth	Port Monmouth	NJ	Middletown Township Public School District	Thorne Middle School	Y	1		Middletown Township Public Schools
18-May-16	Monmouth	Red Bank	NJ	Middletown Township Public School District	River Plaza Elementary School	Y	1		Middletown Township Public Schools
	Morris	Boonton	NJ	Boonton Town School District	Boonton High School	plans to test			50 NJ Schools Polled on Water Testing
	Morris	Boonton	NJ	Boonton Town School District	John Hill School	plans to test			50 NJ Schools Polled on Water Testing
	Morris	Boonton	NJ	Boonton Town School District	School Street School	plans to test			50 NJ Schools Polled on Water Testing
	Morris	Boonton	NJ	Boonton Township School District	Rockaway Valley School	plans to test			50 NJ Schools Polled on Water Testing
30-Mar-16	Morris	Brookside	NJ	Mendham Township School District	Mendham Township Middle School	Y	1	16	Mendham Test Results
24-May-16	Morris	Convent Station	NJ	Morris School District	Woodland School	Y	4	15-51	Woodland School Water Analysis
5-Apr-16	Morris	Denville	NJ	Denville Township K-8 School District	Riverview Elementary School	Y	5		Denville Schools to Host Lead Testing Meeting Thursday
5-Apr-16	Morris	Denville	NJ	Denville Township K-8 School District	Wallview Middle School	Y	5		Denville Schools to Host Lead Testing Meeting Thursday
27-May-16	Morris	Lake Hiawatha	NJ	Parsippany-Troy Hills Township School District	Knollwood Elementary School	Y	3	17-25.1	Lead in Parsippany school's water was 18 times over federal limit
26-May-16	Morris	Morris Plains	NJ	Morris School District	Alfred Vail School	Y		22	Lead Detected at Morristown's Hamilton and Woodland Schools
27-May-16	Morris	Morris Plains	NJ	Parsippany-Troy Hills Township School District	Parsippany Hills High School	Y			Lead in Parsippany school's water was 18 times over federal limit
26-May-16	Morris	Morristown	NJ	Morris School District	Alexander Hamilton	Y	11		Lead Detected at Morristown's Hamilton and Woodland Schools
30-Mar-16	Morris	Morristown	NJ	Morris School District	Hillcrest School	Y	1	20	Morris District Shuts Water Fountains...
4-May-16	Morris	Morristown	NJ	Morris School District	Sussex Avenue School	Y	2	19-47	Tests Show Elevated Lead Levels at Sussex Ave School
	Morris	Oak Ridge	NJ	Jefferson Township Public School District	Jefferson Township High School	Y	2	23.6-24.6	Jefferson Lead Testing
27-May-16	Morris	Parsippany	NJ	Parsippany-Troy Hills Township School District	Central Middle School	Y			Lead in Parsippany school's water was 18 times over federal limit
27-May-16	Morris	Parsippany	NJ	Parsippany-Troy Hills Township School District	Eastlake Elementary School	Y	5	270	Lead in Parsippany school's water was 18 times over federal limit
27-May-16	Morris	Parsippany	NJ	Parsippany-Troy Hills Township School District	Parsippany High School	Y			Lead in Parsippany school's water was 18 times over federal limit
9-May-16	Morris	Parsippany	NJ	Parsippany-Troy Hills Township School District	Northvail Elementary School	Y	1	23.4	Morris, Parsippany Schools Report High Lead
	Passaic	Clifton	NJ	Clifton Public School District	Christopher Columbus Middle School	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	Clifton High School	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #1	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #11	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #12	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #13	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #14	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #15	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #16	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #17	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #2	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #3	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #4	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #5	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #8	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	School #9	pending			Clifton Schools Prepare to Test Water for Lead
	Passaic	Clifton	NJ	Clifton Public School District	Woodrow Wilson Middle School	pending			Clifton Schools Prepare to Test Water for Lead
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District	(14 Schools)	Y	25		Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District	School 6	Y		200	Paterson Parents Weren't Told of Lead in Drinking Water

Date Tested	County	Municipality	State	School District	School	Lead (Y/N)	Points of Discharge (#)	Parts Per Billion (ppb)	Source
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District	School 9	Y		200	Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District	School 28	Y		200	Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
2-Apr-16	Passaic	Paterson	NJ	Paterson Public School District		Y			Paterson Parents Weren't Told of Lead in Drinking Water
	Somerset	Basking Ridge	NJ	Bernards Township School District	Cedar Hill Elementary School	plans to test			50 NJ Schools Polled on Water Testing
	Somerset	Basking Ridge	NJ	Bernards Township School District	Mount Prospect Elementary School	plans to test			50 NJ Schools Polled on Water Testing
	Somerset	Basking Ridge	NJ	Bernards Township School District	Oak Street School	plans to test			50 NJ Schools Polled on Water Testing
	Somerset	Basking Ridge	NJ	Bernards Township School District	Ridge High School	plans to test			50 NJ Schools Polled on Water Testing
	Somerset	Basking Ridge	NJ	Bernards Township School District	William Annin Middle School	plans to test			50 NJ Schools Polled on Water Testing
	Somerset	Liberty Corner	NJ	Bernards Township School District	Liberty Corner Elementary School	plans to test			50 NJ Schools Polled on Water Testing
21-Apr-16	Somerset	Raritan	NJ	Bridgewater-Raritan Regional School District	John F Kennedy Elementary School	Y		20	Lead in Drinking Water at Bridgewater-Raritan School
11-Apr-16	Sussex	Hopatcong	NJ	Hopatcong Borough School District	Durban Avenue Elementary School	Y		20	Hopatcong Schools Shut Off Lead-Tainted Water
11-Apr-16	Sussex	Hopatcong	NJ	Hopatcong Borough School District	Hopatcong High School	Y	16-17		Hopatcong Schools Shut Off Lead-Tainted Water
11-Apr-16	Sussex	Hopatcong	NJ	Hopatcong Borough School District	Hopatcong Middle School	Y	20-30		Hopatcong Schools Shut Off Lead-Tainted Water
	Union	Elizabeth	NJ	Elizabeth Public Schools	Abraham Lincoln School No. 14	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Admiral William F. Halsey Jr. Health & Public Safety Academy	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Alexander Hamilton Preparatory Academy	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Benjamin Franklin School No. 13	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Charles J. Hudson School No. 25	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Christopher Columbus School No. 15	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Donald Stewart Early Childhood Center #51	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Dr. Albert Einstein Academy School No. 29	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Dr. Antonia Pantoja School No. 27	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Dr. Martin Luther King Jr. Ecc #52	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Dr. Orlando Edreira Academy School No. 26	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Elizabeth High School	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Elmora School No. 12	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Frances C. Smith Early Childhood Center #50	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	George Washington Academy School No. 1	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Iprep Academy School No 8	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Jerome Dunn Academy No 9	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	John E. Dwyer Technology Academy	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	John Marshall School No. 20	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Joseph Battin School No. 4	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Juan Pablo Duarte - Jose Julian Marti #28	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Toussaint L'ouverture-Marquis de Lafayette School No. 6	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Mabel G. Homes School No. 5	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Madison Monroe School No. 16	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Nicholas Murray Butler School No. 23	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Nicholas S. Lacorte-Peterstown School No. 3	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Robert Morris School No. 18	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Ronald Reagan Academy School No. 30	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Terence C. Reilly School # 7	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Thomas A. Edison Career And Technical Academy	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Thomas Jefferson Arts Academy	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Victor Mravlag School No. 21	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	William F. Halloran School No.22	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Winfield Scott School No. 2	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Elizabeth	NJ	Elizabeth Public Schools	Woodrow Wilson School No. 19	plans to test			Lead Concerns Prompt Elizabeth Schools to Test Fountains
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	Evergreen School	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	Howard B. Brunner	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	J. Ackerman Coles	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	Park Middle School	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	School One	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	Scotch Plains-Fanwood High School	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	Terrill Middle School	plans to test			50 NJ Schools Polled on Water Testing
	Union	Scotch Plains	NJ	Scotch Plains-Fanwood School District	William J. McGinn	plans to test			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Franklin Elementary School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Jefferson Elementary School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Lincoln Early Childhood Center	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Mckinley Elementary School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Roosevelt Intermediate School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Tamaques Elementary School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Thomas Edison Intermediate School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Washington Elementary School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Westfield High School	N			50 NJ Schools Polled on Water Testing
	Union	Westfield	NJ	Westfield Public School District	Wilson Elementary School	N			50 NJ Schools Polled on Water Testing